

One off shelf scripts

Version up sops that have a "version" parm - I use this to version up a lot of exports in tops or rops:

```
import hou
nodes = hou.selectedNodes()
for x in nodes:
    ver = x.parm("version").eval() + 1
    x.parm("version").set(ver)
```

Send a ROP fetch to TOPs name "topnet1" for convenient cooking.:

```
import hou
nodes = hou.selectedNodes()
topnet = hou.node("/obj/topnet1")
for x in nodes:
    name = x.name()
    topcache = topnet.createNode("ropfetch")
    p = hou.IntParmTemplate("version", "Version", 1)
    g = topcache.parmTemplateGroup()
    g.append(p)
    topcache.setParmTemplateGroup(g)
    topcache.parm("version").set(ver)
    topcache.parm("roppath").set(path)
    topcache.setName(name)
```

Send SOP to a ROP net named "ropnet1", adds version parm to update the original SOP version cache:

```

import hou
nodes = hou.selectedNodes()
ropnet = hou.node("/obj/ropnet1")
for x in nodes:
    name = x.name()+"_"+str(x.parent())
    path= x.path()
    if x.type().name() == "rop_geometry":
        ver = x.parm("vp_version")
    elif x.type().name() == "rop_alembic":
        ver = x.parm("vp_version")
    else:
        ver = x.parm("version")
    topcache = ropnet.createNode("fetch")
    topcache.parm("source").set(path)
    p = hou.IntParmTemplate("version", "Version", 1)
    g = topcache.parmTemplateGroup()
    g.append(p)
    topcache.setParmTemplateGroup(g)
    topcache.parm("version").set(ver)
    topcache.setName(name)

```

Make a file node from a rop export node:

```

import hou, re
nodes = hou.selectedNodes()
parent = nodes[0].parent()
nodeList = []
for x in nodes:
    name = x.name()+"_load"

    version = x.parm("vp_version").eval()
    path= x.parm("sopoutput").eval()
    path = str(path)
    newpath1 = re.sub("_v\d+", "_v{0}".format("`padzero(3,ch('version'))`"), path)
    newpath1 = re.sub("\\d+", ".$F4", newpath1)

    file = parent.createNode("file")

```

```
try:
    file.setName(name)
except:
    continue
file.setColor(hou.Color(0,0,1))
file.parm("file").set(newpath1)
p = hou.IntParmTemplate("version", "Version", 1)
g = file.parmTemplateGroup()
g.append(p)
file.setParmTemplateGroup(g)
file.parm("version").set(version)
nodeList.append(file)

parent.layoutChildren(items=nodeList)
```

Revision #2

Created 30 January 2024 17:33:47 by Anthony

Updated 23 April 2024 00:58:38 by Anthony